

Glass Table

We deliver vertically all glass types which are on the market. Below table shows a small selection of the most common glass types.

Article no.	Construction	U-value	DB*	For types
Super low E glass (with thermal spaces as standard)				
G-74002 Argon Gas (standard)	4-15-4 mm	1.1	32	Rosenholm, Solborg, Hasselbro, Hasselbakke
G-31002 Argon Gas (standard)	4-18-4 mm	1.1	32	Klosterhede, Kongelund, Klosterdal, Birkeholm
G-32002 Argon Gas (standard)	4-20-4 mm	1.2	32	Lyngstrand
Thermal insulation glass				
G-84002 hardened/laminated	4-12-4-12-4 mm	0.7		Danrose, Danholm
G-GLX4252 hardened/laminated	6-16-4-16-4 mm	0.9		Glaslux
Safety glass				
G-74252 hardened/laminated	4-12-6 mm	1.2	36	Rosenholm, Solborg, Hasselbro, Hasselbakke
G-31252 hardened/laminated	4-15-6 mm	1.1	36	Klosterhede, Kongelund, Klosterdal, Birkeholm
G-32252 hardened/laminated	4-18-6 mm	1.1	36	Lyngstrand
G-84282 hardened/laminated	9-10-4-10-4 mm	0.8	37	Danrose, Danholm
Security glass				
G-74282 A1	9-10-4 mm	1.6	37	Rosenholm, Solborg, Hasselbro, Hasselbakke
G-31282 A1	9-15-4 mm	1.1	37	Lyngstrand, Klosterhede, Kongelund, Klosterdal, Birkeholm
Noise control glass				
G-74115	6-12-4 mm	1.3	35	Rosenholm, Solborg, Hasselbro, Hasselbakke
G-74116	8-10-4 mm	1.6	37	Rosenholm, Solborg, Hasselbro, Hasselbakke
G-31116	8-16-4 mm	1.1	37	Lyngstrand, Klosterhede, Kongelund, Klosterdal, Birkeholm
G-31117	8-15-6 mm	1.1	42	Lyngstrand, Klosterhede, Kongelund, Klosterdal, Birkeholm
Solar control glass				
G-74072	6-12-4 mm	1.3	35	Rosenholm, Solborg, Hasselbro, Hasselbakke
G-31072	6-15-4 mm	1.1	35	Lyngstrand, Klosterhede, Kongelund, Klosterdal, Birkeholm
G-84072	6-12-4-12-4 mm	0.7	37	Danrose, Danholm
Decoration glass				
G-xx302 Cotswold	4-15(20)-4 mm	1.2/1.1	32	All
G-xx322 Abstracto	4-15(20)-4 mm	1.2/1.1	32	All
G-xx342 Silivit	4-15(20)-4 mm	1.2/1.1	32	All
G-xx362 Master Carré	4-15(20)-4 mm	1.2/1.1	32	All
G-xx372 Cathedral	4-15(20)-4 mm	1.2/1.1	32	All
G-xx382 Laminated "milk glass"	6-15(20)-4 mm	1.2/1.3	34	All
G-xx402 Old German	4-15(20)-4 mm	1.2/1.1	32	All
G-xx432 Chinchilla	4-15(20)-4 mm	1.2/1.1	32	All
G-xx562 Delta	4-15(20)-4 mm	1.2/1.1	32	All
G-xx582 Sahara	4-15(20)-4 mm	1.2/1.1	32	All
G-xx592 Ornament 504	4-15(20)-4 mm	1.2/1.1	32	All
G-xx602 Ornamnet 523	4-15(20)-4 mm	1.2/1.1	32	All
G-xx612 Small Artic	4-15(20)-4 mm	1.2/1.1	32	All
G-xx642 Float satin	4-15(20)-4 mm	1.2/1.1	32	All
G-xx632 Frosted 597	4-15(20)-4 mm	1.2/1.1	32	All
G-xx662 Niagara	4-15(20)-4 mm	1.2/1.1	32	All

* DB is an indicator for the noise insulation. The higher, the better.

All values described in the table are only values on the glass and not values on the total item. On the total item the value is dependent on item type, size and design.